

SOUTHERN SOUTH AUSTRALIA

WATERLOGGING SUSCEPTIBILITY

Classes are based on an interpretation of soil landscape map units which may have variable waterlogging characteristics. Map units are classified according to the most susceptible component of the landscape, provided that it accounts for at least 30% of the area. An additional class identifies land where limited areas are susceptible to waterlogging.

Rapidly to well drained	Rarely wet for more than several days
Moderately well drained	Wet for up to one week
10-30% of the landscape is imperfectly to very poorly drained	
Imperfectly drained	Wet for several weeks
Imperfectly drained	Wet for several weeks early in the growing season
Poorly drained	Wet for several months
Very poorly drained	Wet for most of the year
Inundated	Permanently under water
Not applicable	

NOTES ON USE OF THE MAP
1. The information is derived from limited field inspection, and is subject to change without notice.
2. Boundaries between mapping units should be treated as transition zones.
3. The map is intended to provide a regional overview and should not be used to draw conclusions about conditions at specific locations.
4. The scale of maps should not be enlarged beyond their scale of publication.
5. Independent expert advice should be sought prior to using this information for commercial decision-making.

Licensed under Creative Commons Attribution 4.0 International License
http://creativecommons.org/licenses/by/4.0/

© Crown in right of the State of South Australia
Department for Environment and Water, 2018

Land assessment: DEW Soil and Land Program, 2009
Map projection: Lambert Conformal Conic
Map datum: GDA94

Government of South Australia
Department for Environment and Water