

SOUTHERN SOUTH AUSTRALIA

WIND EROSION POTENTIAL

The map is based on an interpretation of soil landscape map units. Many map units are dune - swale systems, where wind erosion potential varies widely; therefore proportions of erosion potential classes also varies significantly. The 16 classes shown on the map account for both the degree of wind erosion potential and the variability of potential within map units.

DOMINANT	SUBDOMINANT
Low	-
Low	Moderately low to moderate
Low	Moderately high to extreme
Moderately low	Low
Moderately low	-
Moderately low	Moderate
Moderately low	Moderately high to extreme
Moderate	Low to moderately low
Moderate	-
Moderate	Moderately high to extreme
Moderately high	Low to moderate
Moderately high	-
Moderately high	High to extreme
High to extreme	Low to moderately low
High to extreme	Moderate to moderately high
High to extreme	-
Not applicable	

NOTES ON USE OF THE MAP
1. The information is derived from limited field inspection, and is subject to change without notice.
2. Boundaries between mapping units should be treated as transition zones.
3. The map is intended to provide a regional overview and should not be used to draw conclusions about conditions at specific locations.
4. The scale of maps should not be enlarged beyond their scale of publication.
5. Independent expert advice should be sought prior to using this information for commercial decision-making.

Licensed under Creative Commons Attribution 4.0 International License
http://creativecommons.org/licenses/by/4.0/

© Crown in right of the State of South Australia
Department for Environment and Water, 2018

Land assessment: DEW Soil and Land Program, 2009
Map projection: Lambert Conformal Conic
Map datum: GDA94

Government of South Australia
Department for Environment and Water